

HectoMAP and Horizon Run 4: A Cosmological Test with Large-scale Structures at Intermediate Redshifts

Hwang, Ho Seong (KIAS)

**Geller, Margaret J.; Park, Changbom; Fabricant, Daniel G.; Kurtz, Michael J.;
Rines, Kenneth J.; Kim, Juhan; Diaferio, Antonaldo; Zahid, H. Jabran;
Berlind, Perry; Calkins, Michael; Tokarz, Susan; Moran, Sean**

November 1, 2016

The 7th KIAS Workshop on Cosmology and Structure Formation



Big Bang: Nucleosynthesis/
Cosmic Microwave Background

Inflation:
isotropy/
flatness

**Gravitational
Instability:**
Large-Scale Structure/
CMB powerspectrum

**Standard
Cosmological
Model**

Λ CDM

**Cosmological
Constant, Λ
(dark energy):**
accelerating expansion

**Based on
General
Relativity**

Cold Dark Matter:
hierarchical structure
formation

➤ **95% are dark : Test the Standard Cosmological Model**
➤ **with Large-scale Structure of the Universe**


LSS: Any structure of galaxy distribution larger than galaxy clusters ($> \sim 10$ Mpc)

➤ Over-density Structure

- Filament, Chain
- Wall, Pancake, Sheet

➤ Under-density Structure


- Tunnel
- Void, Cell, Bubble



➤ Physical properties of large-scale structure depend on

- cosmological parameters
- physics of galaxy formation


← Strong Constraints



Gott+05

Q: Do we expect this kinds of largest-scale structures in our standard Λ CDM cosmology?


Largest Structures: Cosmological Tests



* Springel+06 (see Park+90;+12;+15): Ok.

* Sheth & Diaferio 11: The Sloan Great Wall is very unusual;
Difficult (4 sigma) to reconcile with the Λ CDM model


SDSS vs. Horizon Run 2: Largest-scale Structures




Q: Do we expect this kinds of largest-scale structures in our standard Λ CDM cosmology?

A: Yes, for nearby universe (~ 1.3 Gyrs ago, quantitative analysis in Park+12)


History of the Universe



- Only for nearby universe where structure formation is almost complete.
- To fully understand how structure forms in the universe, it is important to study the *evolution of large-scale structure*, sensitive to dark matter and dark energy.



HSC SSP



HectoMAP (Geller, Hwang, Sohn+)

- One of densest and complete survey of red galaxies at $r < 21.3$ (20.5)
- HectoMAP: 600-1200 gals/deg², BOSS: ~150 gals/deg²
- Examine the Large-scale Structure at Intermediate Redshifts (Hwang+16, ApJ, 818, 173)

Horizon Runs @ KIAS

➤ One of densest and largest cosmological simulations


	HR1	HR2	HR3	HR4
Model	WMAP5	WMAP5	WMAP5	WMAP5
Ω_M	0.26	0.26	0.26	0.26
Ω_b	0.044	0.044	0.044	0.044
Ω_Λ	0.74	0.74	0.74	0.74
Spectral index	0.96	0.96	0.96	0.96
H_0 [100 km s ⁻¹ Mpc ⁻¹]	72	72	72	72
σ_8	0.794	0.794	0.794	0.794
Box size [h^{-1} Mpc]	6592	7200	10815	3150
No. of grids for initial conditions	4120 ³	6000 ³	7210 ³	6300 ³
No. of CDM particles	4120 ³	6000 ³	7210 ³	6300 ³
Starting redshift	23	32	27	100
No. of global time steps	400	800	600	2000
Mean particle separation [h^{-1} Mpc]	1.6	1.2	1.5	0.5
Particle mass [$10^{11}h^{-1}M_\odot$]	2.96	1.25	2.44	0.0902
Minimum halo mass (30 particles) [$10^{11}h^{-1}M_\odot$]	88.8	37.5	73.2	2.706
Mean separation of minimum mass PSB halos [h^{-1} Mpc]	13.08	9.01	11.97	4.08

Kim J., Park C. +15

T = 11.179 Byrs ago


25 Mpc/h

Large-scale Structures in the HectoMAP and Horizon Runs



H
E
R
I
Z
O
N
R
U
N


H
E
C
T
O
M
A
P





In this Talk,

By applying the same criteria to the observations and simulations to identify over- and under-dense large-scale features of the galaxy distribution,

- 1) Compare the Physical Properties of over- and under-dense large scale-structures in HectoMAP and Horizon Run 4, and**
- 2) Examine the Probability to find observed largest structures in the simulation.**




Identification of Over-dense Large-scale Structure




HectoMAP


Horizon Run4




Richness Distribution of Over-dense LSS




Size Distribution of Over-dense LSS




Identification of Under-dense LSS (Voids)




HectoMAP




Horizon Run4



Volume Distribution of Voids




Size Distribution of Voids




In this Talk,

- **1) Compare the Physical Properties of over- and under-dense large scale-structures in HectoMAP and Horizon Run 4, and**
- **The physical properties of observed large-scale structures at intermediate redshifts ($0.22 < z < 0.44$) are remarkably consistent with predictions of the standard Λ CDM model.**





2) Largest Structures: HectoMAP vs. 300 Horizon Run 4 mock surveys



In this Talk,

- **2) Examine the Probability to find observed largest structures in the simulation.**
- **The properties of the largest over- and under-dense structures in HectoMAP are well within the distributions for the largest structures drawn from 300 Horizon Run 4 mock surveys.**





Q: Do we expect this kinds of largest-scale structures in our standard Λ CDM cosmology?

- **Yes, at $0.22 < z < 0.44$. We would like to emphasize that**
 - **Many mock surveys for a robust test**
 - **The same criteria in identifying large-scale structures in the observations and simulations**
 - **Comparable samples of galaxies and halos with the matched number densities**

Summary

- **Statistics for Largest-Scale Structure (over- and under-density structures)**
- Λ CDM model is still consistent with observations at $0.22 < z < 0.44$ (~9-11 Gyrs old)

